



MANUAL TRANSMITTAL

Department of the Treasury
Internal Revenue Service

2.4.52

DECEMBER 24, 2025

EFFECTIVE DATE

(01-02-2026)

PURPOSE

- (1) This transmits revised IRM 2.4.52, IDRS Terminal Input, Command Codes TPCIN and TPCOL.

MATERIAL CHANGES

- (1) IRM 2.4.52 To ensure there is no PII and/or FTI, or improper fictionalization of tax information in the IT IRMs, many of the screen display graphic exhibits and some descriptions have been revised in accordance with current IRS guidelines.Exhibit 2.4.52-6
- (2) IRM 2.4.52 revised throughout to update organizational title Taxpayer Services.

EFFECT ON OTHER DOCUMENTS

IRM 2.4.52, dated 11-09-2023, is superseded.

AUDIENCE

Taxpayer Services (TS), Small Business/Self Employed (SB/SE), Tax Exempt and Government Entity (TE/GE), Taxpayer Advocate Service (TAS), Criminal Investigation (CI), Appeals, as well as other IRS organizations profiled for these restricted IDRS command codes

Kaschit Pandya
Acting Chief Information Officer

2.4.52

Command Codes TPCIN and TPCOL

Table of Contents

2.4.52.1 Program Scope and Objectives

2.4.52.1.1 Background

2.4.52.1.2 Authority

2.4.52.1.3 Roles and Responsibilities

2.4.52.1.4 Program Management and Review

2.4.52.1.5 Program Controls

2.4.52.1.6 Terms and Acronyms

2.4.52.1.7 Related Resources

2.4.52.2 Command Code TPCIN (Definer 'A')—Input Format

2.4.52.3 Command Code TPCIN (definer 'U') — Update Format

2.4.52.4 Command Code TPCIN Error Responses

2.4.52.5 Command Code TPCIN Valid Responses

2.4.52.6 Command Code TPCOL(definer ' ')

2.4.52.7 Command Code TPCOL Error Responses

2.4.52.8 Command code TPCIN and TPCOL Paging

Exhibits

2.4.52-1 COMMAND CODE TPCIN (definer 'A') Input Screen

2.4.52-2 COMMAND CODE TPCIN (definer 'A') Response Screen

2.4.52-3 COMMAND CODE TPCIN Error Screen

2.4.52-4 COMMAND CODE TPCIN (definer 'U') Input Screen

2.4.52-5 COMMAND CODE TPCIN (definer 'U') Response Screen

2.4.52-6 COMMAND CODE TPCIN (definer 'C' or 'L') Response Screen

2.4.52-7 COMMAND CODE TPCOL Input Screen

2.4.52-8 COMMAND CODE TPCOL (definer ' ') Response Screen

2.4.52.1
(12-18-2024)
Program Scope and Objectives

- (1) **Overview:** This IRM provides information on CFOL Command Codes TPCIN and TPCOL. Details below:
- (2) **Purpose:** These sections provide instructions for inputting Third Party Contact (TPC) information, using command code TPCIN, and accessing the data already on the Third Party Contact file using command code TPCOL.
- (3) **Audience:** Taxpayer Services (TS), Small Business/Self Employed (SB/SE), Tax Exempt and Government Entity (TE/GE), Taxpayer Advocate Service (TAS), Criminal Investigation (CI), Appeals, as well as other IRS organizations profiled for these restricted IDRS command codes.
- (4) **Policy Owner:** Director, Corporate Data Domain
- (5) **Program Owner:** Tax Data On-line (TDOL), a branch within Corporate Data Domain
- (6) **Primary Stakeholders:** Taxpayer Services (TS), Small Business/Self Employed (SB/SE), Tax Exempt and Government Entity (TE/GE), Taxpayer Advocate Service (TAS), Criminal Investigation (CI), Appeals, Enterprise Operations (EOPS), and the United States Department of Agriculture (USDA). USDA uses an extract of the Farm Subsidy Program data entered and validated using TPCIN (see SERP 3.5.20.5.4.2 for details).
- (7) **Program Goals:** These are the instructions for using the CFOL/IDRS command codes TPCIN and TPCOL.

2.4.52.1.1
(01-02-2025)
Background

- (1) The Third Party Contact System (TPC) program is an Internal Revenue Service (IRS) application designed to maintain a database of all third party contacts that were made regarding a taxpayer during the determination or collection of a tax liability. Each record on the database contains the contact name or general description of the third party contacted (e.g. neighbor, bank name, business associate) along with the date of contact for all contacts made relating to a specific Taxpayer Identification Number (TIN). A third party contact is made when an IRS employee initiates contact with a person other than the taxpayer. Notices are provided upon request and issued on-demand to taxpayers and Power of Attorneys (POAs) that have third party contacts.
- (2) TPC shares data with four (4) IRS applications, but does not connect directly to each. Data from the Automated Collection System (ACS), Automated Under Reporter (AUR), Electronic Fraud Detection System (EFDS), and the Integration Collection System (ICS) are transferred to the GSS-21 IBM Mainframe on which TPC resides using the Electronic File Transfer Utility (EFTU). Once the IBM Mainframe receives data from the ACS, AUR, EFDS, and ICS applications, a batch job is executed which "pulls" the data that each application stored into the TPC database. TPC also receives data from various 12175 forms from which data is manually entered into the TPC database by TPC Coordinators. TPC receives weekly batch files of third party contacts from the ICS, ACS, AUR, and EFDS applications.
- (3) The United States Department of Agriculture (USDA) uses an extract of the Farm Subsidy Program data entered and validated using TPCIN, at the Fresno Campus. IRS clerks use the IAT tool to process USDA data, which auto fills the information for command code TPCIN with definer code A. TPCIN with definer code U is used to check that work for accuracy.

- (4) The Third Party Contact System consists of two command codes, TPCIN and TPCOL.

2.4.52.1.2
(01-02-2026)

Authority

- (1) This IRM and the contained subsections provide the instructions for using the CFOL/IDRS command codes TPCIN and TPCOL.
- (2) Unified Work Request (UWR) 999071

2.4.52.1.3
(01-02-2025)

Roles and Responsibilities

- (1) Applications Development (AD) is responsible for operations and maintenance of the command codes.
- (2) Director, Corporate Data Domain
- (3) Branch Chief, TDOL

2.4.52.1.4
(01-02-2025)

Program Management and Review

- (1) Project's data source is the Third Party Contact(TPC) VSAM database

2.4.52.1.5
(01-02-2025)

Program Controls

- (1) Access to this program is governed by SACS.

2.4.52.1.6
(01-02-2025)

Terms and Acronyms

(1)	<table border="1"> <thead> <tr> <th>Acronym</th><th>Definition</th></tr> </thead> <tbody> <tr> <td>CFOL</td><td>Corporate Files Online</td></tr> <tr> <td>IDRS</td><td>Integrated Data Retrieval System</td></tr> <tr> <td>IMF</td><td>Individual Master File</td></tr> <tr> <td>IPPIN</td><td>Identity Theft Protection Pin</td></tr> <tr> <td>IRS</td><td>Internal Revenue Service</td></tr> <tr> <td>ISPF</td><td>Interactive System Productivity Facility</td></tr> <tr> <td>IT</td><td>Information Technology</td></tr> <tr> <td>NAP</td><td>National Account Profile</td></tr> <tr> <td>SSN</td><td>Social Security Number</td></tr> <tr> <td>TDOL</td><td>Tax Data On-line Branch</td></tr> <tr> <td>TIN</td><td>Tax Identification Number</td></tr> <tr> <td>TPC</td><td>Third Party Contact</td></tr> <tr> <td>TPCIN</td><td>Third Party Contact input command code</td></tr> <tr> <td>TPCOL</td><td>Third Party Contact access command code</td></tr> </tbody> </table>	Acronym	Definition	CFOL	Corporate Files Online	IDRS	Integrated Data Retrieval System	IMF	Individual Master File	IPPIN	Identity Theft Protection Pin	IRS	Internal Revenue Service	ISPF	Interactive System Productivity Facility	IT	Information Technology	NAP	National Account Profile	SSN	Social Security Number	TDOL	Tax Data On-line Branch	TIN	Tax Identification Number	TPC	Third Party Contact	TPCIN	Third Party Contact input command code	TPCOL	Third Party Contact access command code
Acronym	Definition																														
CFOL	Corporate Files Online																														
IDRS	Integrated Data Retrieval System																														
IMF	Individual Master File																														
IPPIN	Identity Theft Protection Pin																														
IRS	Internal Revenue Service																														
ISPF	Interactive System Productivity Facility																														
IT	Information Technology																														
NAP	National Account Profile																														
SSN	Social Security Number																														
TDOL	Tax Data On-line Branch																														
TIN	Tax Identification Number																														
TPC	Third Party Contact																														
TPCIN	Third Party Contact input command code																														
TPCOL	Third Party Contact access command code																														

- 2.4.52.1.7
(01-02-2025)
Related Resources
- (1) Functional Specifications Package (FSP) 5.30.10.03, command code TPCIN
 - (2) Functional Specifications Package (FSP) 5.30.10.04, command code TPCOL
- 2.4.52.2
(01-01-2010)
Command Code TPCIN (Definer 'A')—Input Format
- (1) Command Code TPCIN with definer 'A'— used to request an input screen for inputting taxpayer and third party contact information from Form 12175. Up to 78 MFT/Taxperiods can be input with each third party contact.
 - (2) The required input for command code TPCIN with definer 'A' without Reprisal is as follows:
 - a. Command Code TPCIN
 - b. Command Code Definer 'A'
 - c. Taxpayer Identification Number (TIN)
 - d. Display File Source Code
 - e. Name Control
 - f. Employee Identification Number
 - g. Plan Number — Required only when EPMF account
 - h. MFT/Taxperiod — At least one MFT and tax period required (except when EP/EO Determination Case Number is entered or Reprisal is 'Y')
 - i. Contact is For
 - j. Date of Contact
 - k. 3RD Party Name
 - l. Category Code
 - (3) The required input for command code TPCIN with definer 'A' with Reprisal is as follows:
 - a. Taxpayer Identification Number (TIN)
 - b. Display File Source Code
 - c. Name Control
 - d. Employee Identification Number
 - e. Date of Contact
 - f. Category Code
- 2.4.52.3
(01-01-2000)
Command Code TPCIN (definer 'U') — Update Format
- (1) Command Code TPCIN with definer 'U' — used to request an update screen. The information relating to the input TIN will return on the screen ready for updating. By inputting the Request Type and the Contact Number at the bottom of the screen, the user will be given the capability to:
 - a. change screen data,
 - b. delete a contact or,
 - c. display third party contact information.
 - (2) The required input for command code TPCIN with definer 'U' is as follows:
 - a. Command Code TPCIN
 - b. Command Code Definer 'U'
 - c. Taxpayer Identification Number (TIN)
 - d. Display File Source Code

2.4.52.4
(01-01-2020)

**Command Code TPCIN
Error Responses**

- (1) Error responses are displayed on Line 24 in inverse video. The erroneous literal will display in inverse video and the cursor will appear on the input field.
- a. CC DEFINER INVALID - CHECK INPUT — The input command code definer must be A or U. Correct and re-enter.
 - b. NOT EDITED TIN, PLEASE REINPUT — The input TIN must be in SSN or EIN format, or Secondary TIN is missing when contact is for BOTH or Secondary.
 - c. INVALID TIN AND FS - PLEASE REINPUT — The TIN and/or Display File Source Code did not meet standard validity criteria. Correct and re-enter.
 - d. RECORD NOT FOUND— There is no record found for the requested TIN on the Third Party Contact Database.
 - e. INVALID INPUT - MUST BE Y / N — The REPRISAL-IND must be 'Y' or 'N'.
 - f. nnn MFT/ TAX PRDS CONTAIN ERRORS — Invalid or inconsistent MFT/ Taxperiod(s). The nnn is the total number that are invalid on the screen input.
 - g. A CONTACT TYPE MUST BE SELECTED — The screen input does not contain a Contact Type.
 - h. INVALID CONTACT DATE — The screen input is a future date or does not meet standard validity criteria.
 - i. ALL MFT/TAXPRDS ARE BLANK OR ERRONEOUS — All of the input MFT/Taxperiods are blank or do not meet standard validity criteria.
 - j. CASE NUMBER AND/OR CASE TYPE MISMATCH — A Case Type of A, B, E or O must be input when an EP/EO Determination Case Number is input.
 - k. CONTACT NAME REQUIRED — The input screen does not contain a Contact Name.
 - l. NAME CONTROL NOT FOUND FOR TIN/FS — The input Name Control does not agree with the Name Control on the NAP for input TIN/FS.
 - m. MINIMUM REQUIRED FIELDS — The input screen does not contain all necessary required fields.
 - n. DISPLAY FS AND PLAN NUMBER INCONSISTENT — A Plan number was entered for a non-EPMF or non-NRU/NMF account. The input Display File source must be P when a Plan Number is entered for an EPMF account, or N when a Plan Number is entered for an NRU/NMF account.
 - o. SSN NOT VALID WITH EP/EO CASE NUMBER — The TIN must be an EIN when EP/EO Case Number is entered.
 - p. CONTACT nnn NOT FOUND — There is no contact found for the input Contact Number.
 - q. PRIM AND SEC TINS CANNOT BE THE SAME — The input Primary and Secondary TINs must be unique.
 - r. PLAN NUMBER NOT VALID WITH EO ACCOUNT— A Plan Number is only valid with EPMF accounts, and NMF accounts.
 - s. DATA CONFLICTS — Both Secondary and BOTH are checked in the Contact Is For. Choose either Secondary or BOTH for valid input.
 - t. SECONDARY TIN INVALID WITH EIN — Only a Primary TIN is valid with a BMF account.
 - u. INVALID REQUEST - CHECK INPUT — The input Request Type or Contact Number is invalid.
 - v. nnn ERROR WRITING TO DATABASE — There is an error updating the third party database. Contact the programmer. The nnn is the database error number.

- w. PAGING ERROR ENCOUNTERED — The attempt to retrieve an additional page was performed before an initial TPCIN/TPCOL request was made.
- x. NO SCREENS AVAILABLE— There are no additional screens available.
- y. COMMAND CODE INVALID— The system did not recognize the input command code. Correct and re-input.
- z. TINS DID NOT FILE JOINTLY FOR TAXYEARS— The primary taxpayer and secondary taxpayer did not file jointly for the input tax period(s).
- aa. NAME MAY NOT CONTAIN "REPRISAL" — The work "REPRISAL" is invalid input for the 3rd Party Name.
- ab. INVALID CATEGORY CODE— Valid values are 1 through 5, F and i.
- ac. MUST CONTAIN NUMERICS — The input for this field must be numerics.

2.4.52.5
(01-01-2000)
Command Code TPCIN
Valid Responses

- (1) One of the following valid responses will be displayed in inverse video on line 24 when no errors are present:
 - a. REQUEST COMPLETED ADD SUCCESSFUL — The third party data has been successfully added to the Third Party Contact Database.
 - b. REQUEST COMPLETED DELETE SUCCESSFUL — The requested third party contact has been successfully deleted from the Third Party Contact Database.
 - c. REQUEST COMPLETED CHANGE SUCCESSFUL — The requested changes are valid and have been updated to the Third Party Contact record.

2.4.52.6
(01-01-2007)
Command Code
TPCOL(definer ' ')

- (1) Command Code TPCOL, definer blank — used to display third party contact information relating to the input TIN. This command code is used when a taxpayer requests a list of contacts.
- (2) The required input for command code TPCOL is as follows:
 - a. Command Code TPCOL
 - b. Taxpayer Identification Number (TIN)
 - c. Display File Source Code
- (3) Command Code TPCOL will display the following:
 - a. Systemic Mail Date
 - b. Requested Mail Date
 - c. Number of Contacts for the input TIN
 - d. Taxpayer TIN
 - e. Contact
 - f. Date Contacted
 - g. Mail Out Indicator

2.4.52.7
(01-01-2007)
Command Code TPCOL
Error Responses

- (1) NO RECORD FOUND- There is no record found on the Third Party Contact database for the requested TIN.
- (2) INVALID-TIN AND FS-PLEASE REINPUT — The TIN and/or Display File Source Code did not meet standard validity criteria. Correct and re-enter.
- (3) nnn ERROR ACCESSING DATABASE — There is in error accessing the third party contact database. Contact the programmer. The nnn is the database error number.

- (4) A PAGING REQUEST WAS ENTERED BEFORE A TPCOL REQUEST— The attempt to retrieve an additional page was performed before an initial TPCOL request was made.
- (5) NO SCREENS AVAILABLE — There are no additional screens available.
- (6) COMMAND CODE INVALID — The system did not recognize the input command code. Correct and re-input.
- (7) NO ADDRESS FOUND — An address cannot be found on the National Account Profile(NAP) for input TIN.
- (8) OUT OF RANGE FOR PARTIAL DATE — The input Print Date is either not numeric or older than 199901 or greater than the current date.
- (9) NO CONTACTS WERE MADE — No contacts were made for the input TIN.
- (10) PROBLEM ACCESSING CONTACT DATABASE — The Third Party Contact Database is not available.
- (11) NO CONTACTS WERE MADE AND NO ADDRESS FOUND — No contacts were made and address was found on the NAP for the input TIN.
- (12) NAMELINE, STREET, CITY, STATE & ZIP REQUIRED — The nameline, street, city, state or zip are either blank or not valid.
- (13) INVALID COMMAND CODE DEFINER — The input Command Code Definer is not blank

2.4.52.8
(01-01-2000)

**Command code TPCIN
and TPCOL Paging**

- (1) Command Codes TPCIN and TPCOL will provide the following paging features:
 - a. IDRS-like paging when display of multiple third party contacts fill a page.
 - b. The paging routine will automatically position the cursor following the Start of Message symbol. When the ENTER key is depressed, the terminal will display the next page or any page designated by overlaying a page number onto the format by Key Input.
 - c. No entry code is needed to move from one page to another.

Exhibit 2.4.52-1 (10-01-2020)

COMMAND CODE TPCIN (definer 'A') Input Screen

Description: Screen format to request input screen.

	1-9	11-19	21-29	31-39	41-49	51-59	61-69	71-80
0	1234567890123456789012345678901234567890123456789012345678901234567890							
1	TPCINA							
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
	1234567890123456789012345678901234567890123456789012345678901234567890							
	1-9	11-19	21-29	31-39	41-49	51-59	61-69	71-80

LINE	POSITION	DESCRIPTION
1	01-05	Command Code: TPCIN
1	06	Command Code Definer 'A'

Exhibit 2.4.52-2 (01-01-2010)**COMMAND CODE TPCIN (definer 'A') Response Screen**

Description: Screen layout for inputting Third Party Contact data.

	1-9	11-19	21-29	31-39	41-49	51-59	61-69	71-80
0	1234567890	1234567890	1234567890	1234567890	1234567890	1234567890	1234567890	1234567890
1	TPCINA							
2	TAXPAYER TIN> NAME CTRL> EMPLOYEE ID>							
3	SECONDARY TIN> EMPLOYEE TELEPHONE>-.....							
4	EMPLOYEE MAIL STOP>							
5								
6	CONTACT IS FOR: PRIMARY> . SECONDARY> . BOTH> .							
7								
8	DATE OF CONTACT> YYYYMMDD 3RD PARTY NAME>							
9	NAME CONTINUED>							
10	CATEGORY CODE> .							
11								
12	REPRISAL> N PLAN NUMBER> 000 EP/EO DETERMINATION CASE NUMBER>							
13								
14	MFT TAX PERIOD>							
15	..							
16	..							
17	..							
18	..							
19	..							
20	..							
21	..							
22	..							
23	..							
24								
	1234567890	1234567890	1234567890	1234567890	1234567890	1234567890	1234567890	1234567890
	1-9	11-19	21-29	31-39	41-49	51-59	61-69	71-80

Exhibit 2.4.52-2 (Cont. 1) (01-01-2010)
COMMAND CODE TPCIN (definer 'A') Response Screen

LINE	POSITION	DESCRIPTION
1	01–05	Command Code TPCIN
1	06	Command Code Definer 'A'
2	02–14	Taxpayer TIN literal
2	16–27	Taxpayer TIN/Display File Source — must be present and in one of the following edited formats: nn-nnnnnnnN (NMF EIN) nn-nnnnnnnP (EPMF EIN) nn-nnnnnnn (BMF EIN) nnn-nn-nnnn (IMF SSN) nnn-nn-nnnn* (IMF SSN invalid) nnn-nn-nnnnV (BMF SSN) nnn-nn-nnnnW (BMF SSN invalid)
2	30–39	Name Ctrl literal
2	41–44	Taxpayer Name Control — must be present.
2	47–58	Employee ID literal
2	60–69	Employee Identification Number — must be present.
3	02–15	Secondary TIN literal
3	17–28	Secondary TIN/Display File Source — input when contact is for Secondary taxpayer or Both Primary and Secondary taxpayers. Must be in one of the following edited formats: nn-nnnnnnnN (NMF EIN) nn-nnnnnnnP (EPMF EIN) nn-nnnnnnn (BMF EIN) nnn-nn-nnnn (IMF SSN) nnn-nn-nnnn* (IMF SSN invalid) nnn-nn-nnnnV (BMF SSN) nnn-nn-nnnnW (BMF SSN invalid) nnn-nn-nnnnN (NMF SSN)
3	47–65	Employee Telephone literal
3	67–78	Employee Telephone Number — include area code — optional.
4	47–65	Employee Mail Stop literal
4	67–76	Employee Mail Stop — optional.

Exhibit 2.4.52-2 (Cont. 2) (01-01-2010)**COMMAND CODE TPCIN (definer 'A') Response Screen**

LINE	POSITION	DESCRIPTION
6	02–16	Contact Is For: literal One of the following must be entered:
6	18–25	Primary literal
6	27	Primary Taxpayer — Input 'X' when the contact was made concerning the Primary taxpayer only.
6	29–38	Secondary literal
6	40	Secondary Taxpayer — Input 'X' when the contact was made concerning the Secondary taxpayer only.
6	42–46	Both literal
6	48	Both Taxpayers — Input 'X' when the contact was made concerning both the Primary and Secondary taxpayers.
8	02–17	Date of Contact literal
8	19–26	Date of Contact — must be present and in YYYYMMDD format. Cannot be a future date or before 19980101.
8	29–43	Third Party Name literal
8	45–79	Third Party Name — must be present.
9	29–43	Name Continued literal
9	45–79	Name Continued — optional, used when additional space is needed for the 3 rd Party Name.
10	02–15	Category Code literal
10	17	Category Code — must be present and one of the following: 1 — Individual 2 — Financial Institution 3 — Business 4 — State/Federal Government Organization 5 — Other F — Farm Subsidy (Restricted for W&I use) i — Invalid Farm Subsidy (Restricted for W&I use)
12	02–10	Reprisal literal
12	12	Reprisal — overlay 'N' with 'Y' when reprisal is checked on Form 12175. When Reprisal is 'Y', only the following input is required: TIN/Display File Source Code Name Control

Exhibit 2.4.52-2 (Cont. 3) (01-01-2010)

COMMAND CODE TPCIN (definer 'A') Response Screen

LINE	POSITION	DESCRIPTION
		Employee — ID
		Category Code
		Date of Contact
12	17–28	Plan Number literal
12	30–32	Plan Number — must be present when EPMF account and must be between 001–999.
12	35–66	EP/EO Determination Case Number literal
12	68–76	EP/EO Determination Case Number — if entered, last digit (Case Type) must be entered.
12	78	Case Type — must be entered when EP/EO Determination Case Number is sent, must be one of the following: A — EP Division Headquarters B — EO Division Headquarters E — EP Determination O — EO Determination the Primary and Secondary taxpayers.
14	02–16	MFT Tax Period literal
14	22–80	MFT/Taxperiods — at least one MFT and taxperiod must be entered (except when EP/EO Determination Case Number is input or when Reprisal is 'Y'). Up to 99 can be added for each Third Party Contact.
15–23	02–80	MFT/Taxperiods

Exhibit 2.4.52-3 (01-01-2000)
COMMAND CODE TPCIN Error Screen

Description: Screen layout for error messages.

	1-9	11-19	21-29	31-39	41-49	51-59	61-69	71-80
0	1234567890123456789012345678901234567890123456789012345678901234567890							
1	TPCINA							
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24	aa							
	1234567890123456789012345678901234567890123456789012345678901234567890							
	1-9	11-19	21-29	31-39	41-49	51-59	61-69	71-80

LINE	POSITION	DESCRIPTION
1	01-05	Command Code TPCIN
1	06	Command Code Definer
24	02-79	Error Message

Exhibit 2.4.52-4 (10-01-2020)

COMMAND CODE TPCIN (definer 'U') Input Screen

Description: Screen format to request update screen.

	1-9	11-19	21-29	31-39	41-49	51-59	61-69	71-80
0	1234567890123456789012345678901234567890123456789012345678901234567890							
1	TPCINUnnnnnnnnnnnnn							
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
	1234567890123456789012345678901234567890123456789012345678901234567890							
	1-9	11-19	21-29	31-39	41-49	51-59	61-69	71-80

Exhibit 2.4.52-4 (Cont. 1) (10-01-2020)**COMMAND CODE TPCIN (definer 'U') Input Screen**

LINE	POSITION	DESCRIPTION
1	01–05	Command Code TPCIN
1	06	Command Code Definer 'U'
1	07–18	Taxpayer TIN/Display File Source — must be in one of the following edited formats: nn-nnnnnnnN (NMF EIN) nn-nnnnnnnP (EPMF EIN) nn-nnnnnnn (BMF EIN) nnn-nn-nnnn (IMF SSN) nnn-nn-nnnn* (IMF SSN invalid) nnn-nn-nnnnV (BMF SSN) nnn-nn-nnnnW (BMF SSN invalid) nnn-nn-nnnnN (NMF SSN)

COMMAND CODE TPCIN (definer 'U') Response Screen

	1-9	11-19	21-29	31-39	41-49	51-59	61-69	71-80
0	1234567890123456789012345678901234567890123456789012345678901234567890							
1	TPCINU							
2								
3	THIRD PARTY DATABASE CONTAINS nnn CONTACTS FOR TIN nnnnnnnnnnnn							
4								
5	nnn CONTACT>nn DATE CONTACTED>YYYYMMDD							
6	NAME CTRL>aaaa CATEGORY CODE>n EMPLOYEE ID>nnnnnnnnnn							
7	EMPL PHONE>nnn-nnn-nnnn EMPL MAIL STOP>aaaaaaaaaa PLAN NUM>nnn							
8	MF YYYYMM MF YYYYMM MF YYYYMM MF YYYYMM MF YYYYMM MF YYYYMM							
9								
10	nnn CONTACT>nn DATE CONTACTED>YYYYMMDD							
11	NAME CTRL>aaaa CATEGORY CODE>n EMPLOYEE ID>nnnnnnnnnn							
12	EMPL PHONE>nnn-nnn-nnnn EMPL MAIL STOP>aaaaaaaaaa PLAN NUM>nnn							
13	MF YYYYMM MF YYYYMM MF YYYYMM MF YYYYMM MF YYYYMM MF YYYYMM							
14								
15	nnn CONTACT>nn DATE CONTACTED>YYYYMMDD							
16	NAME CTRL>aaaa CATEGORY CODE>n EMPLOYEE ID>nnnnnnnnnn							
17	EMPL PHONE>nnn-nnn-nnnn EMPL MAIL STOP>aaaaaaaaaa PLAN NUM>nnn							
18	MF YYYYMM MF YYYYMM MF YYYYMM MF YYYYMM MF YYYYMM MF YYYYMM							
19								
20								
21								
22	REQUEST TYPE (C/D/L) > a CONTACT NUMBER > nnn							
23								
24	PAGE 001 OF 002 TPPPG 002							
	1234567890123456789012345678901234567890123456789012345678901234567890							
	1-9	11-19	21-29	31-39	41-49	51-59	61-69	71-80

Exhibit 2.4.52-5 (Cont. 1) (10-01-2020)**COMMAND CODE TPCIN (definer 'U') Response Screen**

LINE	POSITION	DESCRIPTION
1	01–05	Command Code: TPCIN
1	06	Command Code Definer 'U'
1	07–18	Taxpayer TIN/Display File Source — must be in one of the following edited formats: nn-nnnnnnnN (NMF EIN) nn-nnnnnnnP (EPMF EIN) nn-nnnnnnn (BMF EIN) nnn-nn-nnnn (IMF SSN) nnn-nn-nnnn* (IMF SSN invalid) nnn-nn-nnnnV (BMF SSN) nnn-nn-nnnnW (BMF SSN invalid) nnn-nn-nnnnN (NMF SSN)
3	12–40	Third Party Database Contains literal
3	42–44	Number of Contacts
3	46–61	Contacts for TIN literal
3	63–74	Taxpayer TIN/Display File Source
5, 10, 15	03–05	Contact Number
5, 10, 15	07–14	Contact literal
5, 10, 15	15–49	Contact Name
5, 10, 15	51–65	Date Contacted literal
5, 10, 15	66–73	Date Contacted
6, 11, 16	07–16	Name Ctrl literal
6, 11, 16	17–20	Taxpayer Name Control
6, 11, 16	26–39	Category Code literal
6, 11, 16	40	Category Code
6, 11, 16	46–57	Employee ID literal
6, 11, 16	58–67	Employee ID
7, 12, 17	07–17	Employee Phone literal
7, 12, 17	18–20	Employee Phone Number
7, 12, 17	32–46	Employee Mail Stop literal
7, 12, 17	47–56	Employee Mail Stop

Exhibit 2.4.52-5 (Cont. 2) (10-01-2020)**COMMAND CODE TPCIN (definer 'U') Response Screen**

LINE	POSITION	DESCRIPTION
7, 12, 17	59–67	Plan Number literal
7, 12, 17	68–70	Plan Number
8, 13, 18	07–70	MFT/Taxperiods
22	10–31	Request Type literal
22	33	Request Type — Must be input. Input one of the following: C — to change the taxpayer and/or contact information. When changing a Reprisal to a non-Reprisal, all non-Reprisal input fields must be present (see 52.1.1(3) of this IRM). When changing a non-Reprisal to a Reprisal, only the required fields for Reprisal (see 52.1.1(3)) can be changed and will be taken from the input screen to be stored to the database. D — to delete a contact L — to list all information that is stored on The Third Party Database regarding this contact
22	37–52	Contact Number literal
22	54–56	Contact Number — input the number of the corresponding Third Party Contact in which you want to perform one of the Request Type actions. Must be entered when Request Type is present.
24	11–14	Page literal
24	16–18	Current Screen Number
24	20–21	Page literal
24	23–25	Total number of screens
24	41–45	Command Code to retrieve additional screen
24	47–49	Next screen number

Exhibit 2.4.52-6 (10-01-2020)**COMMAND CODE TPCIN (definer 'C' or 'L') Response Screen**

Description: Screen response when Request Type C or L is input.

Note: When Request Type 'D' is input, the contact will be deleted from the Third Party Contact Database and only a 'REQUEST COMPLETED-DELETE SUCCESSFUL' message will display on Line 24.

	1-9 * 11-19 * 21-29 * 31-39 * 41-49 * 51-59 * 61-69 * 71-80
0	123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890
1	TPCINx
2	TAXPAYER TIN> 000-XX-1234. NAME CNTL> XXXX EMPLOYEE ID> XXXXXXXXXXXX
3	SECONDARY TIN> 000-XX-6789. EMPLOYEE TELEPHONE> 000-555-1234
4	EMPLOYEE MAIL STOP>
5	
6	CONTACT IS FOR: PRIMARY> . SECONDARY> . BOTH> X
7	
8	DATE OF CONTACT> YYYYMMDD 3RD PARTY NAME> [the third party's name]
9	NAME CONTINUED> [continuation]
10	CATEGORY CODE> 1
11	
12	REPRISAL> N PLAN NUMBER> 000 EP/EO DETERMINATION CASE NUMBER>
13	
14	MFT TAX PERIOD> 30 201612 30 202012
15
16
17
18
19
20
21
22
23
24
	123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890
	1-9 * 11-19 * 21-29 * 31-39 * 41-49 * 51-59 * 61-69 * 71-80

Exhibit 2.4.52-6 (Cont. 1) (10-01-2020)
COMMAND CODE TPCIN (definer 'C' or 'L') Response Screen

LINE	POSITION	DESCRIPTION
1	01–05	Command Code TPCIN
1	06	Command Code Definer C or L (Request Type)
2	02–14	Taxpayer TIN literal
2	16–27	Taxpayer TIN/Display File Source — will be in one of the following edited formats: nn-nnnnnnnN (NMF EIN) nn-nnnnnnnP (EPMF EIN) nn-nnnnnnn (BMF EIN) nnn-nn-nnnn (IMF SSN) nnn-nn-nnnn* (IMF SSN invalid) nnn-nn-nnnnV (BMF SSN) nnn-nn-nnnnW (BMF SSN invalid) nnn-nn-nnnnN (NMF SSN)
2	30–39	Name Ctrl literal
2	41–44	Taxpayer Name Control
2	47–58	Employee ID literal
2	60–69	Employee Identification Number
3	02–15	Secondary TIN literal
3	17–28	Secondary TIN/Display File Source — if present, will be one of the following edited formats: nn-nnnnnnnN (NMF EIN) nn-nnnnnnnP (EPMF EIN) nn-nnnnnnn (BMF EIN) nnn-nn-nnnn (IMF SSN) nnn-nn-nnnn* (IMF SSN invalid) nnn-nn-nnnnV (BMF SSN) nnn-nn-nnnnW (BMF SSN invalid) nnn-nn-nnnnN (NMF SSN)
3	47–65	Employee Telephone literal
3	67–78	Employee Telephone Number — include area code.
4	47–65	Employee Mail Stop literal

Exhibit 2.4.52-6 (Cont. 2) (10-01-2020)**COMMAND CODE TPCIN (definer 'C' or 'L') Response Screen**

LINE	POSITION	DESCRIPTION
4	67–76	Employee Mail Stop
6	02–16	Contact is for: literal
6	18–25	Primary literal
6	27	Primary Taxpayer
6	29–38	Secondary literal
6	40	Secondary Taxpayer
6	42–46	Both literal
6	48	Both Taxpayers
8	02–17	Date of Contact literal
8	19–26	Date of Contact
8	29–43	Third Party Name literal
8	45–79	Third Party Name
9	29–43	Name Continued literal
9	45–79	Name Continued
10	02–15	Category Code literal
10	17	Category Code — will be one of the following: <ul style="list-style-type: none"> 1 — Individual 2 — Financial Institution 3 — Business 4 — State/Federal Government Organization 5 — Other F — Farm Subsidy (Restricted for W&I use) i — Invalid Farm Subsidy (Restricted for W&I use)
12	02–10	Reprisal literal
12	12	Reprisal — 'Y' when checked on Form 12175.
12	17–28	Plan Number literal
12	30–32	Plan Number
12	35–66	EP/EO Determination Case Number literal
12	68–76	EP/EO Determination Case Number
12	78	Case Type
14	02–16	MFT Taxprd literal

Exhibit 2.4.52-6 (Cont. 3) (10-01-2020)**COMMAND CODE TPCIN (definer 'C' or 'L') Response Screen**

LINE	POSITION	DESCRIPTION
14	22-80	MFT/Taxperiods
15-23	02-80	MFT/Taxperiods

Exhibit 2.4.52-7 (01-01-2007)
COMMAND CODE TPCOL Input Screen

Description: Screen format to request display screen.

	1-9	11-19	21-29	31-39	41-49	51-59	61-69	71-80
0	1234567890123456789012345678901234567890123456789012345678901234567890							
1	TPCOL nnnnnnnnnnnnn							
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
	1234567890123456789012345678901234567890123456789012345678901234567890							
	1-9	11-19	21-29	31-39	41-49	51-59	61-69	71-80

Exhibit 2.4.52-7 (Cont. 1) (01-01-2007)
COMMAND CODE TPCOL Input Screen

LINE	POSITION	DESCRIPTION
1	01–05	Command Code: TPCOL
1	06	Command Code Definer blank
1	07–18	Taxpayer TIN/Display File Source — must be in one of the following edited formats: nn-nnnnnnnN (NMF EIN) nn-nnnnnnnP (EPMF EIN) nn-nnnnnnn (BMF EIN) nnn-nn-nnnn (IMF SSN) nnn-nn-nnnn* (IMF SSN invalid) nnn-nn-nnnnV (BMF SSN) nnn-nn-nnnnW (BMF SSN invalid) nnn-nn-nnnnN (NMF SSN)

Exhibit 2.4.52-8 (01-01-2001)**COMMAND CODE TPCOL (definer ' ') Response Screen**

Description: Screen layout for displaying Third Party Contact data.

	1-9	11-19	21-29	31-39	41-49	51-59	61-69	71-80
0	1234567890123456789012345678901234567890123456789012345678901234567890							
1	TPCOL							
2								
3	A LISTING OF PERSONS CONTACTED PER IRC 7602(C) WAS SYSTEMICALLY GENERATED							
4	AND MAILED TO THE TAXPAYER ON YYYYMMDD.							
5								
6	A LISTING OF PERSONS CONTACTED PER IRC 7602(C) WAS REQUESTED BY THE TAXPAYER							
7	AND WAS MAILED ON YYYYMMDD.							
8								
9	THIRD PARTY DATABASE CONTAINS THE FOLLOWING nnn CONTACTS FOR TIN nnnnnnnnnnnn:							
10								
11	CONTACT > aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa DATE CONTACTED > YYYYMMDD SR							
12	aa							
13								
14	CONTACT > aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa DATE CONTACTED > YYYYMMDD R							
15	aa							
16								
17	CONTACT > aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa DATE CONTACTED > YYYYMMDD S							
18	aa							
19								
20	CONTACT > aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa DATE CONTACTED > YYYYMMDD SR							
21	aa							
22								
23								
24	PAGE 001 OF 002 TPCPG 002							
	1234567890123456789012345678901234567890123456789012345678901234567890							
	1-9	11-19	21-29	31-39	41-49	51-59	61-69	71-80

Exhibit 2.4.52-8 (Cont. 1) (01-01-2001)**COMMAND CODE TPCOL (definer ' ') Response Screen**

LINE	POSITION	DESCRIPTION
1	01-05	Command Code: TPCOL
3	01-79	literals
4	01-29	literals
4	31-38	Systemic Mail Date
6	01-79	literals
7	01-17	literals
7	19-26	Taxpayer Request Mail Date
9	01-43	Third Party Database Contains literal
9	45-47	Number of Contacts
9	49-64	Contacts for TIN literal
9	66-77	Taxpayer TIN/Display File Source
11, 14, 17, 20	01-07	Contact literal
11, 14, 17, 20	11-45	Contact name
11, 14, 17, 20	47-60	Date Contacted literal
11, 14, 17, 20	64-71	Date Contacted
11, 14, 17, 20	75-76	Mail Out Indicator

S — the contact was on a list which was mailed to the taxpayer in the periodic mail out.

R — the contact was on a list which was mailed to the taxpayer by taxpayer request.

12, 15, 18, 21	11-45	Name continued
24	14-17	Page literal
24	19-21	Current Screen Number
24	23-24	Page literal
24	26-28	Total number of screens
24	40-44	Command Code to retrieve additional screen
24	47-49	Next screen number

